



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(bayesian network*<in>ab) <and> (probab*<in>ab) <and> (hidden<in>..."

e-mail

Your search matched 12 of 1233246 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(bayesian network*<in>ab) <and> (probab*<in>ab) <and> (hidden<in>ab)

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article information

- ☐ 1. **Fuzzy hidden Markov predictor in electric load forecasting**
Teixeira, M.A.; Zaverucha, G.;
Neural Networks, 2004. Proceedings. 2004 IEEE International Joint Conference
Volume 1, 25-29 July 2004 Page(s):
[AbstractPlus](#) | Full Text: [PDF](#)(675 KB) IEEE CNF
- ☐ 2. **Tracking appearances with occlusions**
Ying Wu; Ting Yu; Gang Hua;
Computer Vision and Pattern Recognition, 2003. Proceedings. 2003 IEEE Conf
Conference on
Volume 1, 18-20 June 2003 Page(s):1-789 - 1-795 vol.1
Digital Object Identifier 10.1109/CVPR.2003.1211433
[AbstractPlus](#) | Full Text: [PDF](#)(493 KB) IEEE CNF
- ☐ 3. **Choice of error cost function for training unobservable nodes in Bayesian**
Chee-Keong Kwoh; Gillies, D.F.;
Knowledge-Based Intelligent Electronic Systems, 1997. KES '97. Proceedings.
International Conference on
Volume 2, 21-23 May 1997 Page(s):565 - 574 vol.2
Digital Object Identifier 10.1109/KES.1997.619438
[AbstractPlus](#) | Full Text: [PDF](#)(672 KB) IEEE CNF
- ☐ 4. **A guide to the literature on learning probabilistic networks from data**
Buntine, W.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 8, Issue 2, April 1996 Page(s):195 - 210
Digital Object Identifier 10.1109/69.494161
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1892 KB) IEEE JNL
- ☐ 5. **A robust Bayesian network for articulated motion classification**
Imennov, N.S.; Dockstader, S.L.; Tekalp, A.M.;
Image Processing, 2003. ICIP 2003. Proceedings. 2003 International Conferer
Volume 3, 14-17 Sept. 2003 Page(s):III - 305-8 vol.2
Digital Object Identifier 10.1109/ICIP.2003.1247242
[AbstractPlus](#) | Full Text: [PDF](#)(397 KB) IEEE CNF
- ☐ 6. **Hidden mode HMM using Bayesian network for modeling speaking rate fl**

Shinozaki, T.; Furui, S.;
Automatic Speech Recognition and Understanding, 2003. ASRU '03. 2003 IEEE
30 Nov.-3 Dec. 2003 Page(s):417 - 422
Digital Object Identifier 10.1109/ASRU.2003.1318477
[AbstractPlus](#) | Full Text: [PDF\(492 KB\)](#) IEEE CNF

- ☐ **7. Research on modeling with dynamic Bayesian networks**
Fengzhan Tian; Hongwei Zhang; Yuchang Lu;
Web Intelligence, 2003. WI 2003. Proceedings. IEEE/WIC International Conference on
13-17 Oct. 2003 Page(s):606 - 609
[AbstractPlus](#) | Full Text: [PDF\(241 KB\)](#) IEEE CNF
- ☐ **8. Large-scale event detection using semi-hidden Markov models**
Somboon Hongeng; Ramakant Nevatia;
Computer Vision, 2003. Proceedings. Ninth IEEE International Conference on
13-16 Oct. 2003 Page(s):1455 - 1462 vol.2
[AbstractPlus](#) | Full Text: [PDF\(4684 KB\)](#) IEEE CNF
- ☐ **9. Automatic speaker recognition using dynamic Bayesian network**
Lifeng Sang; Zhaohui Wu; Yingchun Yang; Wanfeng Zhang;
Multimedia and Expo, 2003. ICME '03. Proceedings. 2003 International Conference
Volume 3, 6-9 July 2003 Page(s):III - 613-16 vol.3
[AbstractPlus](#) | Full Text: [PDF\(318 KB\)](#) IEEE CNF
- ☐ **10. Automatic speaker recognition using dynamic Bayesian network**
Lifeng Sang; Zhaohui Wu; Yingchun Yang; Wanfeng Zhang;
Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP '03).
International Conference on
Volume 1, 6-10 April 2003 Page(s):I-188 - I-191 vol.1
[AbstractPlus](#) | Full Text: [PDF\(325 KB\)](#) IEEE CNF
- ☐ **11. Mixed Bayesian networks with auxiliary variables for automatic speech recognition**
Stephenson, T.A.; Magimai-Doss, M.; Bourlard, H.;
Pattern Recognition, 2002. Proceedings. 16th International Conference on
Volume 4, 2002 Page(s):293 - 296 vol.4
Digital Object Identifier 10.1109/ICPR.2002.1047454
[AbstractPlus](#) | Full Text: [PDF\(409 KB\)](#) IEEE CNF
- ☐ **12. An experimental study of coupled hidden Markov models**
Chu, S.M.; Huang, T.S.;
Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02).
International Conference on
Volume 4, 13-17 May 2002 Page(s):IV-4100 - IV-4103 vol.4
Digital Object Identifier 10.1109/ICASSP.2002.1004820
[AbstractPlus](#) | Full Text: [PDF\(446 KB\)](#) IEEE CNF




[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(bayesian <in>ab) <and> (handwrit*<in>ab) <and> (hidden<in>ab)"

☒ e-mail

Your search matched 4 of 1233246 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

* Search Options

[View Session History](#)
[Modify Search](#)
[New Search](#)


☐ Check to search only within this results set

* Key

 Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information



1. A Bayesian model selection criterion for HMM topology optimization

 Biem, A.; Jin-Young Ha; Subrahmonia, J.;
 Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02).
 International Conference on
 Volume 1, 2002 Page(s):I-989 - I-992 vol.1
 Digital Object Identifier 10.1109/ICASSP.2002.1005908

[AbstractPlus](#) | Full Text: [PDF](#)(358 KB) IEEE CNF


2. A model selection criterion for classification: application to HMM topolog

 Biem, A.;
 Document Analysis and Recognition, 2003. Proceedings. Seventh Internationa
 3-6 Aug. 2003 Page(s):104 - 108 vol.1
 Digital Object Identifier 10.1109/ICDAR.2003.1227641

[AbstractPlus](#) | Full Text: [PDF](#)(307 KB) IEEE CNF


3. HMM topology optimization for handwriting recognition

 Danfeng Li; Biem, A.; Subrahmonia, J.;
 Acoustics, Speech, and Signal Processing, 2001. Proceedings. (ICASSP '01).
 International Conference on
 Volume 3, 7-11 May 2001 Page(s):1521 - 1524 vol.3
 Digital Object Identifier 10.1109/ICASSP.2001.941221

[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) IEEE CNF


4. Automatic handwriting gestures recognition using hidden Markov model:

 Martin, J.; Durand, J.-B.;
 Automatic Face and Gesture Recognition, 2000. Proceedings. Fourth IEEE Int
 Conference on
 28-30 March 2000 Page(s):403 - 409
 Digital Object Identifier 10.1109/AFGR.2000.840666

[AbstractPlus](#) | Full Text: [PDF](#)(244 KB) IEEE CNF

 Indexed by
[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE --


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((handwrit* <near/3> recogn*)<in>ab) <and> (hidden<in>ab) <and> (..."

Your search matched 23 of 1233246 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Generalized hidden Markov models. II. Application to handwritten word recognition**
Mohamed, M.A.; Gader, P.;
Fuzzy Systems, IEEE Transactions on
Volume 8, Issue 1, Feb. 2000 Page(s):82 - 94
Digital Object Identifier 10.1109/91.824774
[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE JNL
- ☐ 2. **Training hidden Markov models with multiple observations-a combinatorial approach**
Xiaolin Li; Parizeau, M.; Plamondon, R.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 22, Issue 4, April 2000 Page(s):371 - 377
Digital Object Identifier 10.1109/34.845379
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(180 KB) IEEE JNL
- ☐ 3. **Fast two-level HMM decoding algorithm for large vocabulary handwriting recognition**
Koerich, A.L.; Sabourin, R.; Suen, C.Y.;
Frontiers in Handwriting Recognition, 2004. IWFHR-9 2004. Ninth International
26-29 Oct. 2004 Page(s):232 - 237
Digital Object Identifier 10.1109/IWFHR.2004.42
[AbstractPlus](#) | Full Text: [PDF](#)(144 KB) IEEE CNF
- ☐ 4. **Offline cursive handwriting recognition system based on hybrid Markov networks**
Tay, Y.H.; Khalid, M.; Yusof, R.; Viard-Gaudin, C.;
Computational Intelligence in Robotics and Automation, 2003. Proceedings. 2003
International Symposium on
Volume 3, 16-20 July 2003 Page(s):1190 - 1195 vol.3
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) IEEE CNF
- ☐ 5. **HMM topology selection for on-line Thai handwriting recognition**
Siriboon, K.; Jirayusakul, A.; Kruatrachue, B.;
Cyber Worlds, 2002. Proceedings. First International Symposium on
6-8 Nov. 2002 Page(s):142 - 145
Digital Object Identifier 10.1109/CW.2002.1180872
[AbstractPlus](#) | Full Text: [PDF](#)(423 KB) IEEE CNF
- ☐ 6. **Chinese handwriting recognition using hidden Markov models**

Bing Feng; Xiaoqing Ding; Youshou Wu;
Pattern Recognition, 2002. Proceedings. 16th International Conference on
Volume 3, 11-15 Aug. 2002 Page(s):212 - 215 vol.3
Digital Object Identifier 10.1109/ICPR.2002.1047832
[AbstractPlus](#) | Full Text: [PDF\(329 KB\)](#) IEEE CNF

- ☐ 7. **Hidden Markov model length optimization for handwriting recognition system**
Zimmermann, M.; Bunke, H.;
Frontiers in Handwriting Recognition, 2002. Proceedings. Eighth International Conference on
6-8 Aug. 2002 Page(s):369 - 374
Digital Object Identifier 10.1109/IWFHR.2002.1030938
[AbstractPlus](#) | Full Text: [PDF\(365 KB\)](#) IEEE CNF
- ☐ 8. **An a priori indicator of the discrimination power of discrete hidden Markov models**
Grandidier, F.; Sabourin, R.; Gilloux, M.; Suen, C.Y.;
Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on
10-13 Sept. 2001 Page(s):350 - 354
Digital Object Identifier 10.1109/ICDAR.2001.953812
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) IEEE CNF
- ☐ 9. **Offline handwritten word recognition using a hybrid neural network and hidden Markov model**
Yong Haur Tay; Lallican, P.-M.; Khalid, M.; Viard-Gaudin, C.; Knerr, S.;
Signal Processing and its Applications, Sixth International Symposium on
Volume 2, 13-16 Aug. 2001 Page(s):382 - 385 vol.2
Digital Object Identifier 10.1109/ISSPA.2001.950160
[AbstractPlus](#) | Full Text: [PDF\(376 KB\)](#) IEEE CNF
- ☐ 10. **An analytical handwritten word recognition system with word-level discrimination**
Yong Haur Tay; Lallican, P.-M.; Khalid, M.; Knerr, S.; Viard-Gaudin, C.;
Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on
10-13 Sept. 2001 Page(s):726 - 730
Digital Object Identifier 10.1109/ICDAR.2001.953885
[AbstractPlus](#) | Full Text: [PDF\(400 KB\)](#) IEEE CNF
- ☐ 11. **An offline cursive handwritten word recognition system**
Yong Haur Tay; Lallican, P.M.; Khalid, M.; Viard-Gaudin, C.; Kneer, S.;
Electrical and Electronic Technology, 2001. TENCON. Proceedings of IEEE Region 10
International Conference on
Volume 2, 19-22 Aug. 2001 Page(s):519 - 524 vol.2
Digital Object Identifier 10.1109/TENCON.2001.949649
[AbstractPlus](#) | Full Text: [PDF\(633 KB\)](#) IEEE CNF
- ☐ 12. **Automatic handwriting gestures recognition using hidden Markov model**
Martin, J.; Durand, J.-B.;
Automatic Face and Gesture Recognition, 2000. Proceedings. Fourth IEEE International Conference on
28-30 March 2000 Page(s):403 - 409
Digital Object Identifier 10.1109/AFGR.2000.840666
[AbstractPlus](#) | Full Text: [PDF\(244 KB\)](#) IEEE CNF
- ☐ 13. **Hidden Markov random field based approach for off-line handwritten Chinese character recognition**
Qing Wang; Zheru Chi; Feng, D.D.; Rongchun Zhao;
Pattern Recognition, 2000. Proceedings. 15th International Conference on
Volume 2, 3-7 Sept 2000 Page(s):347 - 350 vol.2
Digital Object Identifier 10.1109/ICPR.2000.906084
[AbstractPlus](#) | Full Text: [PDF\(368 KB\)](#) IEEE CNF

- ☐ **14. Brazilian bank check handwritten legal amount recognition**
 de Almendra Freitas, C.O.; El Yacoubi, A.; Bortolozzi, F.; Sabourin, R.;
 Computer Graphics and Image Processing, 2000. Proceedings XIII Brazilian S
 17-20 Oct. 2000 Page(s):97 - 104
 Digital Object Identifier 10.1109/SIBGRA.2000.883901
[AbstractPlus](#) | Full Text: [PDF](#)(636 KB) IEEE CNF

- ☐ **15. Holistic handwritten word recognition using discrete HMM and self-organizing map**
 Dehghan, M.; Faez, K.; Ahmadi, M.; Shridhar, M.;
 Systems, Man, and Cybernetics, 2000 IEEE International Conference on
 Volume 4, 8-11 Oct. 2000 Page(s):2735 - 2739 vol.4
 Digital Object Identifier 10.1109/ICSMC.2000.884410
[AbstractPlus](#) | Full Text: [PDF](#)(367 KB) IEEE CNF

- ☐ **16. HMMRF: a stochastic model for offline handwritten Chinese character recognition**
 Qing Wang; Rongchun Zhao; Zheru Chi; Feng, D.D.;
 Signal Processing Proceedings, 2000. WCCC-ICSP 2000. 5th International Conference on
 Volume 3, 21-25 Aug. 2000 Page(s):1475 - 1478 vol.3
 Digital Object Identifier 10.1109/ICOSP.2000.893379
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF

- ☐ **17. A hybrid handwritten word recognition using self-organizing feature map and evolutionary programming**
 Dehghan, M.; Faez, K.; Ahmadi, M.;
 Neural Networks, 2000. IJCNN 2000, Proceedings of the IEEE-INNS-ENNS International
 Conference on
 Volume 5, 24-27 July 2000 Page(s):515 - 520 vol.5
 Digital Object Identifier 10.1109/IJCNN.2000.861521
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF

- ☐ **18. On-line handwritten formula recognition using statistical methods**
 Kosmala, A.; Rigoll, G.;
 Pattern Recognition, 1998. Proceedings. Fourteenth International Conference
 Volume 2, 16-20 Aug. 1998 Page(s):1306 - 1308 vol.2
 Digital Object Identifier 10.1109/ICPR.1998.711941
[AbstractPlus](#) | Full Text: [PDF](#)(52 KB) IEEE CNF

- ☐ **19. Model-based online handwritten digit recognition**
 Xiaolin Li; Plamondon, R.; Parizeau, M.;
 Pattern Recognition, 1998. Proceedings. Fourteenth International Conference
 Volume 2, 16-20 Aug. 1998 Page(s):1134 - 1136 vol.2
 Digital Object Identifier 10.1109/ICPR.1998.711895
[AbstractPlus](#) | Full Text: [PDF](#)(56 KB) IEEE CNF

- ☐ **20. A comparative study of the cascade-correlation architecture in pattern recognition applications**
 Ribeiro, J.N.G.; Vasconcelos, G.C.; Queiroz, C.R.O.;
 Neural Networks, 1997. Proceedings., IVth Brazilian Symposium on
 3-5 Dec. 1997 Page(s):31 - 40
 Digital Object Identifier 10.1109/SBRN.1997.645846
[AbstractPlus](#) | Full Text: [PDF](#)(836 KB) IEEE CNF

- ☐ **21. A hybrid radial basis function network/hidden Markov model handwritten recognition system**
 Gilloux, M.; Lemarie, B.; Leroux, M.;
 Document Analysis and Recognition, 1995., Proceedings of the Third International Conference on

Volume 1, 14-16 Aug. 1995 Page(s):394 - 397 vol.1
Digital Object Identifier 10.1109/ICDAR.1995.599021

[AbstractPlus](#) | Full Text: [PDF](#)(372 KB) IEEE CNF



22. Multilevel HMM for handwritten word recognition

Mou-Yen Chen; Kundu, A.;
Acoustics, Speech, and Signal Processing, 1995. ICASSP-95., 1995 International Symposium on

Volume 4, 9-12 May 1995 Page(s):2623 - 2626 vol.4
Digital Object Identifier 10.1109/ICASSP.1995.480099

[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE CNF



23. Real-time American Sign Language recognition from video using hidden

Starnier, T.; Pentland, A.;
Computer Vision, 1995. Proceedings., International Symposium on
21-23 Nov. 1995 Page(s):265 - 270

Digital Object Identifier 10.1109/ISCV.1995.477012


[AbstractPlus](#) | Full Text: [PDF](#)(644 KB) IEEE CNF



Indexed by
inspec

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --



Web Results 1 - 10 of about 12,400 for **bayesian mixture handwriting hidden network**. (0.06 seconds)

Publications List

Robust **Bayesian mixture** modelling. Neurocomputing . submitted for publication.
 ... **Networks** having a single **hidden** layer, for which the learning algorithm ...
research.microsoft.com/~cmbishop/publications_abs.htm - 133k - [Cached](#) - [Similar pages](#)

Markus Svensén's Publications

Robust **Bayesian Mixture** Modelling 2005 Neurocomputing 235–252 64 **Bayesian**
 approaches to density estimation and clustering using **mixture** distributions allow ...
research.microsoft.com/~markussv/pubs_all.aspx - 21k - [Cached](#) - [Similar pages](#)
[\[More results from research.microsoft.com \]](#)

Software and Hardware for Data Analysis, Pattern Recognition and ...

BayesBuilder A tool for constructing and testing **Bayesian networks**; BayesiaLab A
 tool ... A Portable **Handwriting** Recognition Engine Interface (SUN); Kofax ...
www.ph.tn.tudelft.nl/PRInfo/software.html - 16k - [Cached](#) - [Similar pages](#)

English version of papers

... probability and neural **network** classifier in a **handwriting** recognition task",
 1998. ... In statistical modeling, we can use **Bayesian mixture** model. ...
staff.aist.go.jp/y.motomura/paper/paper.html - 19k - [Cached](#) - [Similar pages](#)

Citations: Hidden Markov Models for Fault Detection in Dynamic ...

Detecting Novel Fault Conditions with **Hidden Models Networks** - Jet ... Training
Bayesian networks for image segmentation - Feng, Williams (1998) (Correct) ...
citeseer.ist.psu.edu/context/23316/0 - 26k - [Cached](#) - [Similar pages](#)

Update rules for parameter estimation in Bayesian networks - Bauer ...

10: A tutorial on learning with **bayesian networks** - Heckerman - 1995 ... 57 Local
 learning in probabilistic **networks** with **hidden** variabl. ...
citeseer.ist.psu.edu/bauer97update.html - 24k - [Cached](#) - [Similar pages](#)

[PDF] Multistream Dynamic Bayesian Network for Meeting Segmentation

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 a dynamic **Bayesian network** based model, characterized by multiple stream pro-
 ... Probabilistic independence **networks** for **hidden**. Markov probability models. ...
www.cstr.ed.ac.uk/downloads/publications/2005/dielmann-mlmi04.pdf - [Similar pages](#)

Matthew J. Beal - Publications

... Approach to Reconstructing Genetic Regulatory **Networks** with **Hidden** Factors
 ... Tree of Latent **Mixtures** for **Bayesian** Modelling and Classification of High ...
www.cse.buffalo.edu/faculty/mbeal/papers.html - 15k - [Cached](#) - [Similar pages](#)

Partial List of Research Publications


Constructive neural **networks** as estimators of **Bayesian** discriminant functions.
 ... A grammatical inference approach to on-line **handwriting** modeling and ...
www.cs.ust.hk/~dyeeung/paper/publist.html - 26k - [Cached](#) - [Similar pages](#)

Neural Information Processing Systems 1996

Multilayer Neural Networks: One or Two Hidden Layers? 148-154 ... Learning Bayesian Belief Networks with Neural Network Estimators. 578-584 ...
www.informatik.uni-trier.de/~ley/db/conf/nips/nipsN1996.html - 72k - [Cached](#) - [Similar pages](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)




Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web Results 11 - 20 of about 12,400 for bayesian mixture handwriting hidden network. (0.09 seconds)

Abstracts of the ISI AI Seminar Series

... models: dependency **networks** – a close cousin of the **Bayesian network** – and **mixture** models. ... Why Discretization Works For Naive **Bayesian** Classifiers ...
www.isi.edu/divisions/div3/ai-seminar-talks-00.html - 31k - [Cached](#) - [Similar pages](#)

Martin Hiu Chung Law

Unsupervised learning: clustering, Gaussian **mixture**, manifold learning ...
Hidden Markov models, neural **networks**, **Bayesian networks**, non-parametric ...
www.cse.msu.edu/~lawhiu/ - 19k - [Cached](#) - [Similar pages](#)

[PDF] Goole-Scholar (Cited Reference Search) Report(Cited by 1575 ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

RBF nets, **mixture** experts, and **Bayesian** Ying-Yang learning ... A Modified Gating **Network** for the **Mixture** of Experts Architecture ...

www.cse.cuhk.edu.hk/~lxu/goole-05.pdf - [Similar pages](#)

J. Frankel and S. King. ASR - articulatory speech recognition. In ...

Mixture density networks, human articulatory data and acoustic-to-articulatory inversion ... Predicting segmental durations using **Bayesian Belief networks**. ...

www.cstr.ed.ac.uk/publications/2001_abstracts.html - 24k - [Cached](#) - [Similar pages](#)

[[More results from www.cstr.ed.ac.uk](#)]

Publication - Conference Papers

... "Writer Dependent Online **Handwriting** Generation with **Bayesian Network**", ...
 The 6th Int'l Workshop on Frontiers in **Handwriting** Recognition, 1998, ...

ai.kaist.ac.kr/Publication/Conference.html - 72k - Sep 5, 2005 - [Cached](#) - [Similar pages](#)

NIPS Volume 9: Table of Contents

0578, Learning **Bayesian Belief Networks** with Neural **Network** Estimators, ... 0988,
 Interpolating Earth-science Data using RBF **Networks** and **Mixtures** of ...

nips.djvuzone.org/nips09-toc.html - 41k - [Cached](#) - [Similar pages](#)

NIPS Volume 10: Table of Contents

Part VI Speech, **Handwriting** and Signal Processing. 0735, Analysis of Drifting
 Dynamics with Neural **Network Hidden Markov** Models, ...

nips.djvuzone.org/nips10-toc.html - 41k - [Cached](#) - [Similar pages](#)

Pattern Recognition: Theories and Applications

Mixture models. The EM algorithm. Bayes rules and **Bayesian** inferences ... 1.

Hidden Markov models for dynamic pattern modeling and recognition ...

icr.uwaterloo.ca/courses/archive/sc981118.html - 36k - Sep 5, 2005 - [Cached](#) - [Similar pages](#)

Ten years of HMMs

"An Integrated Hybrid Neural **Network** and **Hidden Markov** Model Classifier for ...

"**Bayesian** learning for **hidden Markov** model with Gaussian **mixture** state ...

www.tsi.enst.fr/~cappe/docs/hmmbib.html - 75k - [Cached](#) - [Similar pages](#)

[PDF] Pruning **Hidden Markov** Models With Optimal Brain Surgeon

File Format: PDF/Adobe Acrobat

statistical **mixture** algorithm for on-line **handwriting** recognition," IEEE ...

Bayesian information criterion with multiple **mixtures**," in Proc. Int. ...

ieeexplore.ieee.org/iel5/ 89/32132/01495481.pdf?arnumber=1495481 - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	20	(handwrit\$4 or hand-writ\$4) same bayesian	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 10:54	
2	BRS	L2	2	1 same (visibl\$1 or visual\$3 or percept\$5)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 10:57	
3	BRS	L3	2	1 and ((mix\$5 or merg\$4 or link\$4 or plural\$4 or multiple\$1 or combin\$6) near\$4 bayesian)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:00	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L4	2	1 same (observ\$5 or visual\$2 or visible)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:00	
5	BRS	L5	130	((mix\$5 or merg\$4 or link\$4 or plural\$4 or multiple\$1 or combin\$6) near4 bayesian) same network\$1	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:01	
6	BRS	L6	19	5 same hidden	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:01	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	0	6 same (letter\$1 or character\$1 or writ\$5 or handprint\$3 or hand-pint\$3 or handwrit\$5 or hand-writ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:02	
8	BRS	L8	13	6 and (writ\$5 or handprint\$3 or hand-pint\$3 or handwrit\$5 or hand-writ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:17	
9	BRS	L9	12328	"13" and (hand-writ\$5 or handwrit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:17	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	L10	0	8 and (hand-writ\$5 or handwrit\$5)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:18	
11	BRS	L11	2	"6534669".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:18	
12	BRS	L12	1	"6345265".pn.	USPAT	2005/09/07 15:01	
13	BRS	L13	0	12 and (handprint\$3 or hand-print\$3 or hand-writ\$4 or handwrit\$4)	USPAT	2005/09/07 11:22	
14	BRS	L14	1	"6408290".pn.	USPAT	2005/09/07 11:22	
15	BRS	L15	0	14 and (handprint\$3 or hand-print\$3 or hand-writ\$4 or handwrit\$4)	USPAT	2005/09/07 11:22	
16	BRS	L16	1	"6336108".pn.	USPAT	2005/09/07 11:22	
17	BRS	L17	0	16 and (handprint\$3 or hand-print\$3 or hand-writ\$4 or handwrit\$4)	USPAT	2005/09/07 11:26	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	L19	2	18 same (probabil\$5 or likeli\$5 or chance\$1)	USPAT	2005/09/07 11:30	
19	BRS	L18	10	(hidden near2 (variable\$1 or node\$1)) same (handprint\$3 or hand- print\$3 or handwrit\$4 or hand-writ\$4)	USPAT	2005/09/07 12:06	
20	BRS	L20	0	((signature\$1 or handprint\$3 or hand-print\$3 or handwrit\$4 or hand- writ\$4) near5 (identif\$6 or recogn\$6)) same (common near1 hidden near2 (variable\$1 or node\$1))	USPAT	2005/09/07 12:08	
21	BRS	L21	0	((signature\$1 or handprint\$3 or hand-print\$3 or handwrit\$4 or hand- writ\$4) near5 (identif\$6 or recogn\$6)) and (common near1 hidden near2 (variable\$1 or node\$1))	USPAT	2005/09/07 12:09	
22	BRS	L22	454	((signature\$1 or handprint\$3 or hand-print\$3 or handwrit\$4 or hand- writ\$4) near5 (identif\$6 or recogn\$6)) same (statistic\$5 or probabilit\$3 or likeli\$5 or chance)	USPAT	2005/09/07 12:13	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	L23	96	22 same hidden	USPAT	2005/09/07 12:13	
24	BRS	L24	4	23 same (hypothe\$6 or belief\$1 or theor\$6)	USPAT	2005/09/07 12:13	
25	BRS	L25	1423	((signature\$1 or handprint\$3 or hand-print\$3 or handwrit\$4 or handwrit\$4 or word) near\$5 (identif\$6 or recogn\$6)) same (statistic\$5 or probabilit\$3 or likeli\$5 or chance)	USPAT	2005/09/07 12:13	
26	BRS	L26	234	25 same hidden	USPAT	2005/09/07 12:13	
27	BRS	L27	13	26 same (hypothe\$6 or belief\$1 or theor\$6)	USPAT	2005/09/07 12:13	
28	IS&R	L28	1549	(382/159,161,181,186,187,224,228,229).CCLS.	USPAT	2005/09/07 14:15	
29	IS&R	L29	1192	(706/45,46,52).CCLS.	USPAT	2005/09/07 14:15	
30	IS&R	L30	35	(704/255,256.1).CCLS.	USPAT	2005/09/07 14:21	
31	BRS	L32	0	18 and 29	USPAT	2005/09/07 14:24	
32	BRS	L33	0	18 and 30	USPAT	2005/09/07 14:25	
33	BRS	L31	4	18 and 28	USPAT	2005/09/07 14:25	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	L34	2	(common near1 hidden near1 (variable\$1 or node\$1)) same bayesian\$1	USPAT	2005/09/07 15:02	